

Wren ★ Feathers

Mix and Match wardrobe week 3

As always this pattern is © by me (Jennie Bagrowski) and is for your personal use only, you MAY share it by linking to this blog, you may NOT sell it. If you sell things made from this pattern I'd appreciate credit for the pattern design. ☺

I assume you have basic sewing knowledge and the explanation should suffice, but if you need help please email me!

Quarter inch seams allowed on all pieces. Print with no scaling. There is a 1" box on the patterns - match to a ruler and make sure it's correct!





This is a basic raglan-sleeve top, adaptable for all kinds of outfits! The pattern is for stretchy fabric like thick t-shirt fabric, fleece, sweatshirt fabric or a thin old sweater. Decorate with paint/applique/felt cutouts/embroidery/etc.

You can make it a few different ways:

Easiest:

- If making from fleece or sweatshirt fabric, you can just turn up $\frac{1}{2}$ " hems all around (Only $\frac{1}{4}$ " is allowed for hem at neck). This is great for PJs or sporty-looking fleece tops.

Fairly easy with a serger:

- You can put the edges of these pieces directly against the ribbing if cutting from an old sweater. You will need to eliminate about $\frac{1}{2}$ " at the bottoms and sleeves (since there's no hem). Face neck with bias or ribbing as described below.
- If you want cuffs/collar like I did on the pink shirt, use thick T-shirt fabric or microfleece for these measurements to work. The procedure is as follows:

For ½" folded cuffs/ribbing:

Your cuff piece will need to be 1/2" + 1/4" seam allowance x2 (for fold) for a total of 1.5" tall and about 1" narrower than the width it needs to be sewed onto. (So, for example, if your sweater's bottom measurement is 10", the ribbing should be 9"x1.5")


You will need to eliminate that measurement from the pattern pieces.

There's ½" allowed at the bottom of the sweater and the sleeves for a hem. There's ¼" allowed at the neckline. Just cutting off that amount, however, will not make up for the extra length of the ribbing pieces, so you need to remove that measurement also, but leave in a seam allowance. So in total, you'll be removing about 1" from the sleeves and bottom of sweater and about ¾" from the neckline. Stretch the ribbing pieces a little while sewing. Use a serger or regular machine with a walking foot to make this easy.

Missed last week? <http://jenwrenne.files.wordpress.com/2013/12/mix-match-week-1.pdf>

<http://jenwrenne.files.wordpress.com/2013/12/ag-mix-match-week-2.pdf>

<http://jenwrenne.files.wordpress.com/2013/12/missing-sleeve.pdf>




**raglan sweater/sweatshirt
for slim 16"-18" dolls
(c) 2013 jennie bagrowski
back cut 2**


**raglan sweater/sweatshirt
for slim 16"-18" dolls
(c) 2013 jennie bagrowski
front cut 1 on fold**

raglan sweater/sweatshirt
for slim 16"-18" dolls
(c) 2013 Jennie Bagrowski
sleeve cut 2

f

g





**raglan sweater/sweatshirt
for AG dolls
(c) 2013 jennie bagrowski
sleeve cut 2**

